

**1GPM**

**ULTRAVIOLET STERILISER**  
**INSTALLATION & MAINTENANCE**  
**BOOKLET**



**\*\* THIS UNIT MUST BE INSTALLED AND  
EARTHED BY A LICENSED PLUMBER \*\***



**WARNING**

*To prevent risk of electric shock, make sure this system is properly earthed and protected by a safety switch.  
Pull the plug before servicing or replacing lamps.  
Keep all connections dry and off the ground.  
Do not touch the plug with wet hands.*



**WARNING**

*Do not look directly at the UV lamp when it is operating.  
The light emitted by the lamp can cause serious damage to eyes and burn unprotected skin.*



**WARNING**

*This unit must be installed by a licensed plumber.  
Read manual before installing or servicing the system.  
Only experienced technicians who possess a strong understanding of the system should attempt to replace lamps or service it.*

*To warrant the unit and to guard against injury, basic safety precautions should be observed including the following:*

1. *Read and follow all safety instructions.*
2. *Ensure the unit is properly earthed before operating.*
3. *The power supply must be protected by a Residual Current Device (Safety Switch) as well as a UPS system.*
4. *Since water is employed in the use of this system, special care should be taken to avoid possible electric shocks. DO NOT attempt to repair the system yourself. Contact an authorized service facility for service.*
5. *DO NOT operate the system if it has a damaged cord or plug, if it is malfunctioning or if it has been dropped or damaged in any manner.*
6. *Before servicing or cleaning, unplug the system. Never pull the cord to disconnect plug from power supply. Grasp the plug and pull to disconnect.*
7. *DO NOT use the system for anything other than its intended purpose. The use of attachments or accessories not recommended or sold by the manufacturer may cause unsafe conditions or reduce performance.*
8. *Visually inspect the system prior to installation. If the quartz sleeve or lamp is broken, cracked or damaged in anyway, DO NOT use.*
9. *DO NOT plug the system into an electrical outlet without properly securing the lamp and quartz sleeve into the chamber.*
10. *Always shut off water flow and release water pressure before cleaning and maintaining the system. Intended for indoor use only.*
11. *System MUST NOT be exposed to weather elements.*
12. *Installation of the system MUST be in accordance with local plumbing and electrical codes as well as any and all applicable regulations and laws.*
13. *Warranty will be VOID if the above is not followed.*
14. *SAVE THIS MANUAL*

## **Important Information**

*The vessel is rated to 700kpa. The unit must be installed with an Australian Standards Approved PLV (Pressure Limiting Valve).*

*A shut off valve must be installed prior to the unit in order to turn the water off and to ensure the flow is restricted to the unit for servicing.*

*Ensure adequate clearance at the lamp connection end of the unit in order to safely remove the lamp from the chamber for servicing and lamp replacement. Space required is at least the length of the UV chamber.*

### **\*NOTE\***

*UV systems are NOT water filters. They are unable to eliminate bad tastes or smells, biological material, chemicals, silt, heavy metals and other kinds of impurities and it does not reduce sediments which effects the efficiency of the UV lamp.*

## **Water Quality Parameters**

*Water quality is extremely important for the performance of your UV system. The following levels are recommended for installation.*

Hardness	< 120 ppm
Turbidity	< 1.0 NTU
Iron	< 0.3 ppm
Manganese	< 0.05 ppm
Tannins	< 0.1 ppm
Chloride	< 200 ppm

*If your water chemistry contains levels in excess of the above, pre-treatment is recommended. Contact your distributor for advice. **Proper pre-treatment is essential for the UV system to operate as intended.***

*Pre-treatment must include at least a 1mic sediment filter installed prior to the unit to ensure that particles capable of shielding pathogens are removed from the water prior to entering the system.*

### **\*IMPORTANT\***

*DO NOT use water that is murky from Colloidal Clay.*

*TO TEST – Fill glass and let sit overnight. If murkiness has settled to bottom, sediment is not clay.*

## Components Checklist



*Stainless Steel Vessel*



*Quartz Sleeve w/o-rings (Pre-installed in vessel)*



*Ballast*



*14W Lamp*



*1/4" Tube x 1/4" F Elbow (x2)*



*Bracket (x2)*

## Before You Begin

Ensure that system and all components are un-damaged and complete. Please contact your distributor immediately if you are unsure.

The UV system is designed to be mounted either vertically or horizontally at the point of use. Ideal installation is vertical with the lamp connector on top. This is to prevent water damage from occurring on the lamp pins and connector.



The ballast should be mounted horizontally either above or beside the chamber to prevent moisture from running down the cord and causing a potential fire hazard.

Always wear gloves when handling the lamp or quartz sleeve.

**NEVER look directly at the UV light. Always wear UV rated eye protection if you must look at it. Always wear protective clothing.**

## How a UV System Works

Electromagnetic Spectrum




## System Installation

Open box and check components. Check pre-installed quartz sleeve is intact.

Screw mounting brackets into place, either onto the wall or onto a water filter system.

Make sure water supply is turned off.

Remove plastic plugs and connect Jaco style elbow fittings to inlet and outlet ports of the unit. Connect fittings into water line or onto a water filter system.



Open water supply to the unit and open faucet. Once water is pouring out of the faucet, turn faucet off to allow pressure to build up in system. **CHECK FOR LEAKS!**

Turn water supply off and drain unit.

Wearing gloves, clean UV lamp with methylated spirits and a clean cloth (if needed) carefully insert into the quartz sleeve leaving the pins exposed.



Connect the female 4-pin plug from the ballast to the pins on the lamp.



Place the cover over the end of the UV unit.




Connect the unit to a power source, turn water supply on and switch on the power.  
**CHECK FOR LEAKS!**

The light on the ballast should come on and turn green.

(A red light on the ballast indicates a failed lamp and/or ballast. Turn the unit off and check your lamp connection. If red light remains, replace the lamp and check. If still not working, replace ballast as well.)

Mount the UV system into the brackets.





## **System Maintenance**

*Minerals in water will build up on the quartz sleeve and vessel. This coating must be cleaned off periodically as it reduces the amount of UV light reaching the water, therefore reducing the effectiveness and performance of the system.*

*Depending on water quality, it is advised to clean the unit and quartz sleeve every time lamp is replaced.*

*Make sure to wear gloves whilst handling the unit.*

### **Servicing the Unit**

*Turn off and disconnect ballast from the power and allow unit to cool down.*

*Turn off water supply and open faucet to release pressure from unit.*

*Once system is cool, remove unit from mounting brackets and disconnect inlet and outlet elbows from chamber. Tip the unit and drain as much water as possible into a bucket.*

*Remove end cover from chamber, disconnect cable (4 pin plug) from lamp and carefully remove lamp.*

*Unscrew both end caps and carefully remove orange o-rings. Check disposition and replace if necessary.*

*Carefully remove quartz sleeve.*

*Chamber can be cleaned with a bottle brush.*

*NOTE – Hardness can generally be removed with citric acid or commercially available scale remover (Make sure to follow all directions on cleaning products).*

*Quartz sleeve can be cleaned with a sponge or cloth. Make sure sleeve is completely clean.*

*Once chamber and quartz sleeve are clean, wipe them, including inside quartz sleeve, with methylated spirits or alcohol wipes to remove any smears.*

*Reassemble and reconnect unit following installation instructions.*

## Disinfecting the Unit

*If unit has been turned off or un-used for an extended period, disinfecting the unit and water lines is recommended before re-using.*

*Disconnect power, turn off water supply and drain unit following servicing instructions.*

*Mix a soapy water solution and use a syringe or funnel to pour solution into vessel.*

*Reconnect vessel to water supply but do not turn power on.*

*Open water supply and faucet and allow unit to flush until water no longer suds.*

## System Limitations

*AquaPro UV systems are designed to operate continuously and should not be switched on and off frequently. Doing this will shorten the life of the lamp.*

*Lamps, quartz sleeves and o-rings should be changed yearly. Lamp may still be working but light emitted may not kill bacteria as well as it should after a year.*

<i>Lamp life</i>	<i>9,000 hours (approx. 1 year)</i>
<i>Lamp Intensity</i>	<i>40 <math>\mu</math>W/cm<sup>2</sup> @ 1m</i>
<i>Working pressure</i>	<i>100 psi</i>
<i>Flow rate</i>	<i>1gpm</i>

## **Troubleshooting**

### **PRESSURE DROP**

- *Sediment pre-filter clogged*
  - *Replace filter*

### **HIGH BACTERIA COUNT**

- *Check if quartz sleeve stained or dirty*
  - *Clean quartz sleeve*
- *Check feed water quality*
  - *Test source water to ensure water quality still within allowable limits*
- *Possible finer sediment in source water than pre-filter capability*
  - *Test source water for turbidity – may need better pre-filtration*

### **HEATED PRODUCT WATER**

- *Infrequent use of water*
  - *Run water until it returns to ambient temperature*

### **CLOUDY WATER**

- *Air in lines*
  - *Run water until air is purged*

### **UNIT LEAKING WATER**

- *Check inlet/outlet fittings correctly installed*
- *Check quartz sleeve o-rings properly fitted.*
  - *Replace if damaged*
  - *Clean if dirty*

### **LAMP NOT TURNING ON**

- *Check light on ballast*
  - *Red means lamp and/or ballast has failed. Replace lamp and check. If still not working, replace ballast as well.*
- *Check lamp connection*

# Warranty

## CRYSTAL CLEAR PURIFICATION SYSTEMS TERMS AND CONDITIONS

Any contract of sale, order, or quotation made or accepted by or on behalf of Crystal Clear Purification Systems Pty Ltd ("Crystal Clear") is subject to these terms and conditions of sale.

### \*FREE FREIGHT

Free Freight is for orders over AU\$500.00, not including GST.

Free Freight is only on list prices and does not apply to special order items.

Free Freight is to Capital cities and mainland Australia only. Shipping to rural or remote areas may incur a freight charge.

Free Freight is not applicable to orders where over 50% of the dollar value is made up of Sediment Filters, Empty Cartridges, Cups, Tanks, all Media, Coolers or any other item where the cubing far exceeds the weight.

Free Freight does not cover additional charges such as tail-gate deliveries, hand unloads or re-deliveries. If Crystal Clear is not made aware of these charges until the freight company has issued an invoice, these charges may be invoiced after the delivery is made.

Free Freight maximum value 10% of total invoice before GST.

### RETURNS

Any goods returned thought no fault of Crystal Clear's will be subject to a 15% restocking fee.

Special Orders and Custom Built systems cannot be returned.

### WARRANTY

Crystal Clear warrants each new product to be free from defects in material and workmanship for a period of 1 year from the date of the original invoice issued by Crystal Clear.

The Product must be forwarded at the Buyer's own risk and expense to Crystal Clear, together with proof of purchase. Any damage caused during or as a result of transit will not be the responsibility of Crystal Clear.

Crystal Clear's exclusive obligation under this Warranty is, at Crystal Clear's own option, to either repair or replace the Product, once Crystal Clear has deemed that the Product is defective. Crystal Clear may, at its own discretion, refund to the Buyer the purchase price paid for the defective goods.

Crystal Clear reserves the right in instalment sales to grant credit for the value of any Product found to be defective under this Warranty.

Crystal Clear will not cover any labour charge incurred by the Buyer for the replacement or repair of any Product.

The Buyer is responsible for freight and local labour charges for Products the subject of this Warranty.

This Warranty applies only to the original purchaser of the Product.

This Warranty does not cover any Product that is relocated from the site of its original installation.

All replaced or exchanged parts taken out under this warranty become the property of Crystal Clear.

### LIMITED WARRANTY

Crystal Clear's liability for any breach of this Warranty shall be limited solely to replacement or repair at the sole option of Crystal Clear, of any part or parts found to be defective during the Warranty Period.

In no event will liability extend beyond the purchase price of the product.

This Warranty is subject to the Product being properly installed and maintained and being used for its intended purpose.

The Warranty will be void if the goods have found to be tampered with.

This Warranty does not cover the normal wear and tear of the Product, or damage caused by misuse, abuse or vandalism.

This Warranty does not extend to a Product that has been modified in any way unless with Crystal Clear's express consent.

The Warranty does not cover any malfunction or failure resulting from neglect or use of unauthorised parts and accessories, improper water pressure etc.

The Warranty does not extend to damage caused by rain, fire, earthquake or other natural causes or acts of nature.

It is expressly agreed that this shall be the sole and exclusive remedy of the buyer stated herein, and under no circumstances shall Crystal Clear be liable for any costs, loss, expense, damages, special damages, incidental damages or consequential damages arising directly or indirectly from the design, manufacture, sale, or use or repair of the product whether based upon warranty, contract, tort or strict liability.

The Warranty limits Crystal Clear's liability and is in lieu of all other warranties and liabilities expressed or implied.

All implied warranties of merchantability and fitness for a particular purpose are hereby disclaimed by Crystal Clear and excluded from the Warranty.

### WARRANTY PROCEDURE

Acceptance of the Products shall be deemed for all purposes to have taken place at the expiration of seven (7) days from the date of each delivery.

All credit claims for incorrect items or quantities must be advised within 48 hours of receipt of goods to be accepted.

Goods damaged during transit must be reported within five (5) working days of delivery.

Insured goods damaged during transit must be reported within twenty-four (24) hours of delivery.

A copy of the original invoice must be presented for any Warranty claim as proof of purchase.

In the event of a Warranty Claim, the Product must be forwarded at the Buyer's own risk and expense to Crystal Clear, together with proof of purchase and Pressure Limiting Valve. Any damage caused during or as a result of transit will not be the responsibility of Crystal Clear.

This limited Warranty is void if the Product under Warranty is presented without the said original invoice.

Crystal Clear may request that a Statement accompany the original invoice, signed by the Buyer, setting out details of the scenario.

A failure by the Buyer to submit the said Statement within 28 days, after such request is made by Crystal Clear, will automatically void the Warranty.

A failure to answer truthfully or to answer in a way that is misleading, entitles Crystal Clear to void the Warranty and to notify the police in the event of suspected fraudulent conduct.

### RISK

The risk in the Product will pass to the Buyer immediately upon the Product leaving Crystal Clear's premises for delivery to the place designated by the Buyer.

### RETENTION OF TITLE

Crystal Clear will retain title to (but not risk in) a Product delivered to the Buyer until Crystal Clear has received payment in full for the Product and all other sums owing to it by the Buyer. Until such payment, the Buyer holds the Product as bailee for Crystal Clear and may not sell or otherwise dispose of the Product unless authorised by Crystal Clear. If the Product is sold, the proceeds of sale will be placed in a separate trust account pending payment to Crystal Clear. The Buyer will store the goods in such a way as to enable them to be separately identified and will keep them insured at its own expense with Crystal Clear's interest noted on any such insurance cover.

If the Buyer fails to make any payment when due or becomes bankrupt or becomes insolvent, or has a judgement entered against it in any Court or enters into any scheme of arrangement, composition, or assignment or is in receivership or voluntary administration or liquidation, the Buyer grants Crystal Clear licence to enter any of the Buyer's premises where the Product is stored, and without notice, to re-take possession of and remove, at the Buyer's cost and expense, the Product in respect of which title has not passed to the Buyer.

### DEFAULT

On the happening of any one or more of the following events, namely:

1. the Buyer fails to make payment to Crystal Clear on the due date;
2. an administrator or liquidator is appointed over any or all of the assets of the Buyer or a scheme of arrangements is proposed to approve with respect to the Buyer;
3. in the case of the Buyer being a natural person, the Buyer commits an act of bankruptcy;

then Crystal Clear may at its option exercise all or any of the following rights (notwithstanding any prior failure to exercise such rights):

demand payment of the whole of the monies owing from the Buyer to Crystal Clear and the Buyer agrees to pay the same immediately;

the Buyer shall pay to Crystal Clear interest on such amount outstanding at the rate of 2% per month and any costs with respect to solicitors, legal advisors, mercantile agents and other agents acting on behalf of Crystal Clear in respect of any enforcement hereof or recovery or attempted recovery of monies owing by the Buyer to Crystal Clear

### PRICE

The price charged shall be Crystal Clear's price ruling at the date of delivery unless otherwise agreed in writing. Any price indications or price lists are subject to alterations to Crystal Clear's price ruling at the date service or goods are supplied. Prices are ex Crystal Clear's warehouse unless otherwise agreed in writing. The buyer is responsible to effect and meet the costs of any insurance cover that is deemed necessary. Clerical errors in computations, typing or otherwise of "catalogue, quotation, acceptance, invoice, delivery docket or other document" shall be subject to correction.

### THIS WARRANTY IS VOID IF

Filter housings are not installed with an Australian Standards approved pressure limiting and check valve.

Products are not turned off when residents are away for over 24 hours

Products are not serviced every 12 months. i.e., Replacement of filters, PLV check & assessment of general condition of system.

Product damage results from water hammer, freezing, neglect or is not installed by a licensed plumber in accordance with the installation plan.

Products connected to anything that lowers the temperature of the water and do not have an expansion chamber, are not installed with a Pressure Relief Valve.

The water temperature exceeds the maximum recommended by the manufacturer.

The pressure exceeds the maximum recommended by the manufacturer.

### SEVERANCE

If any of these terms or conditions or becomes for any reason wholly or partly invalid, that term or condition shall to the extent of the invalidity be severed without prejudice to the to the continuing force and validity of the remaining terms and conditions

### JURISDICTION

Crystal Clear and the buyer agree that this agreement and its provisions shall be construed in accordance with the laws of the State of South Australia and be resolved by a South Australian Court.

## **Service Record**

Installation Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

1st Service: \_\_\_\_/\_\_\_\_/\_\_\_\_

Serviced By: \_\_\_\_\_

Lamp changed:  Yes  No

Quartz sleeve condition:  OK  Cleaned  Replaced

Filters changed:  Yes  Replace Next service

Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

**SERVICE NOTES:**

1st Service: \_\_\_\_/\_\_\_\_/\_\_\_\_

Serviced By: \_\_\_\_\_

Lamp changed:  Yes  No

Quartz sleeve condition:  OK  Cleaned  Replaced

Filters changed:  Yes  Replace Next service

Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

**SERVICE NOTES:**

1st Service: \_\_\_\_/\_\_\_\_/\_\_\_\_

Serviced By: \_\_\_\_\_

Lamp changed:  Yes  No

Quartz sleeve condition:  OK  Cleaned  Replaced

Filters changed:  Yes  Replace Next service

Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

**SERVICE NOTES:**

1st Service: \_\_\_\_/\_\_\_\_/\_\_\_\_

Serviced By: \_\_\_\_\_

Lamp changed:  Yes  No

Quartz sleeve condition:  OK  Cleaned  Replaced

Filters changed:  Yes  Replace Next service

Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

**SERVICE NOTES:**

1st Service: \_\_\_\_/\_\_\_\_/\_\_\_\_

Serviced By: \_\_\_\_\_

Lamp changed:  Yes  No

Quartz sleeve condition:  OK  Cleaned  Replaced

Filters changed:  Yes  Replace Next service

Next Service Due: \_\_\_\_/\_\_\_\_/\_\_\_\_

**SERVICE NOTES:**

## Notes

## Notes